

AI-Based Smart Blind Stick for Real-Time Obstacle Detection and Object Recognition with Voice Assistance

Ajithkumar B¹, Dillikumar D², Kaviyarasu M³, Santhoshkumar J⁴

¹Department of Artificial Intelligence and Data Science

^{2,3,4}GRT Institute of Engineering and Technology, Tiruttani, India

Emails: ajithkumar.b@grt.edu.in¹, dillikumarai2022@grt.edu.in², kaviyarasuai2022@grt.edu.in³,

santhoshkumarai2022@grt.edu.in⁴

Abstract

Visually impaired persons are faced with a challenge in terms of navigation due to a lack of awareness of their surroundings. In this regard, this project aims to develop a Smart Blind Stick using artificial intelligence for real-time obstacle detection and object identification with voice guidance. In this project, a camera module and ultrasonic sensor are employed for real-time obstacle detection and distance calculation. In addition, a deep learning algorithm based on YOLOv8 is implemented for real-time object detection and classification. Using such a technique, objects such as pedestrians, vehicles, and obstacles can be identified. The identified objects are processed on a laptop and converted into a voice message using an NLP-based text-to-speech module. The proposed solution is a portable, cost-effective solution for visually impaired persons to navigate in both indoor and outdoor environments.

Keywords: YOLOv8, Object Detection, Text-to-Speech (TTS), Real-Time Navigation, Natural Language Processing (NLP)

1. Introduction

Visual impairment greatly impacts an individual's ability to safely and independently move around in daily life, considering that millions of people across the globe are living with partial or total visual impairment. Mobility is one of the major challenges that a visually impaired person faces in their daily life. [1] The most commonly used assistive device for obstacle detection by making physical contact with objects is the conventional white cane. However, this device offers limited information and cannot detect the type and distance of objects and their nature, making it less effective and unsafe for the users. [2] Electronic travel aids with ultrasonic sensors have been proposed to detect objects and calculate distance. They provide information to the user through vibrations and audio cues. However, these travel aids are still limited to improving basic obstacle detection and do not allow for object recognition and contextual understanding of the environment.[3] Some assistive technologies have been enhanced by integrating other sensing techniques with ultrasonic sensors to increase their reliability and accuracy. This improves the overall performance of these assistive technologies and

decreases false alarms.[4] Vision-based assistive systems, which incorporate camera modules and image processing techniques, have been proposed for object detection and recognition in real-time environments. These systems provide better environmental awareness compared to sensor-based assistive systems.[5] Deep learning-based object detection models have been proposed to improve the efficiency of vision-based assistive systems. The proposed models enable the automatic and precise identification of multiple objects in complex environments.[6] However, the vision-based assistive systems proposed in the literature have been based on cloud computing and high computational power, which reduces their efficiency and reliability in real-time environments. The proposed vision-based assistive systems may not function in offline environments.[7] In order to address these limitations, various approaches of multi-sensor fusion technologies, including ultrasonic sensors as well as vision-based technologies, have been proposed to enhance the detection accuracy of the systems. These technologies are based on the concept of using distance measurement as well as vision in

order to better comprehend the environment. [8] In spite of these advancements, various existing technologies still face limitations in terms of efficient real-time deployment of the systems, owing to hardware limitations. This limits the practicality of the technologies for real-time deployment. [9] Embedded artificial intelligence technologies have enabled the deployment of lightweight deep learning models, thereby allowing real-time processing without the need for any external computation or cloud services. This is a significant advancement in the field of embedded technologies. [10] Furthermore, the integration of Internet of Things (IoT) technologies has also helped to further improve the functionality of assistive systems through the connection of sensors, processing units, and output units, thus enhancing their coordination. [11] Object detection models such as the YOLO family of models, including YOLOv8, have shown impressive accuracy and real-time detection capabilities for multiple objects in complex environments, thus making them suitable for use in assistive systems. [12] Natural language processing and text-to-speech technologies have been employed to further enhance the functionality of assistive systems through the provision of audio output to visually impaired individuals. [13] Such voice-assisted systems also improve user interaction through the provision of detailed audio feedback instead of simple notifications, thus improving user accessibility. [14] Despite the above advances, the existing systems lack a fully integrated, portable, cost-effective system that integrates real-time object detection, classification, and voice feedback into a single embedded system. This calls for the development of better intelligent assistive technology. [15]

2. Proposed System

The main aim of the proposed system is to create an intelligent Smart Blind Stick that assists the visually impaired in their mobility and safety through the detection of obstacles and the identification of objects in their surroundings in real time. The system is expected to utilize an ultrasonic sensor in measuring the distances of the obstacles around the visually impaired and a camera module equipped with a deep learning algorithm based on YOLOv8 in detecting

objects in the surroundings. The second aim of the proposed system is to ensure effective interaction between the user and the system through the conversion of the extracted data into voice feedback through the application of Natural Language Processing and Text-to-Speech techniques. The third aim is to ensure the development of a portable, cost-effective, and user-friendly Smart Blind Stick that is effective in both indoor and outdoor environments, thus promoting the independence and confidence of the visually impaired in their movements.




Figure 1 Block diagram for AI-Based Smart Blind Stick for Real-Time Obstacle Detection and Object Recognition with Voice Assistance

2.1. Proposed Methodology

The methodology presented in the proposed methodology is the process followed in designing and implementing the AI-Based Smart Blind Stick for Real-Time Obstacle Detection and Object Recognition with Voice Assistance. The methodology presented in the proposed methodology is the process followed in designing and implementing the AI-Based Smart Blind Stick for Real-Time Obstacle Detection and Object Recognition with Voice Assistance. The process begins with the streaming of live data from the smart blind stick's internal hardware. The ultrasonic sensors are always on the lookout for how far away objects are in proximity, and the LDR sensor is

always keeping track of the ambient light levels. Meanwhile, the ESP32-CAM is always capturing real-time images of what is in proximity. This is all being processed by the ESP32 microcontroller, which acts as the brain and communication center for this system.




Figure 2 Flow diagram illustrating the proposed methodology for AI-Based Smart Blind Stick for Real-Time Obstacle Detection and Object Recognition with Voice Assistance

2.2. Tables

Tables are used to present, in a clear and concise manner, the significant parameters and components associated with the AI-Based Smart Blind Stick for Real-Time Object Detection and Recognition using Voice Assistance. Each table is created independently from the main document and is designed to fit neatly on a single page. In this research, tables are used to describe the hardware components, sensor specifications, and parameters associated with the proposed smart blind stick. Each table contains well-defined column headings that describe the purpose and specifications of each and every component used in the proposed smart blind stick. To maintain a clean and professional look, vertical lines are avoided in the table format. Shows Table 1 System Components and Parameters.


Table 1 System Components and Parameters

Component	Function	Parameter
ESP32	Controls system operations and communication	240 MHz CPU, Wi-Fi, Bluetooth
Ultrasonic Sensor	Detects obstacles and measures distance	Range: 2 cm – 400 cm
Camera Module	Captures real-time images for object detection	Resolution, Frame Rate
YOLOv8 Model	Performs object detection and classification	Accuracy, Detection Speed (FPS)
TTS Module	Converts text into speech output	Voice Quality, Response Time
Speaker/Headphone	Provides audio feedback to the user	Volume, Clarity
Power Supply	Supplies power to the system	Voltage (5V/3.3V), Battery Capacity

2.3. System Architecture

The design of the proposed AI-powered smart blind stick incorporates sensing devices, processing devices, AI components, and user feedback components. The system architecture of the proposed smart blind stick is designed to provide real-time obstacle detection, accurate object identification, rapid processing, and instant assistance for the visually impaired. At the sensing layer, a number of sensors are embedded in the smart blind stick. There is an ultrasonic sensor that helps in sensing obstacles and determine the distance from objects. There is a light-dependent resistor that monitors light levels in the environment. In addition, there is an ESP32-CAM

module that captures images of the surroundings, thus capturing visual data. These sensors are connected to the ESP32, which acts as the brain and interfaces them in real time.



In the processing layer, the role of AI and Deep Learning is utilized, wherein the system makes sense of the visuals obtained. It utilizes the roll with YOLOv8, which detects objects such as humans, cars, obstacles, and other environmental factors. After the detection of objects, NLP takes the role of providing the user with clear voice commands. The feedback and assistance module then takes the role of providing the user with real-time feedback. In case there is the presence of obstacles at a critical distance, the system immediately alerts the user through a buzzer or a vibration motor. In parallel, the system also provides the user with voice feedback via a speaker or earbud, which provides the user with the description of the objects and the scene.

3. Results And Discussion

3.1. Results

The Smart Blind Stick was subjected to tests in both indoor and outdoor conditions and was found to perform well. Our ultrasonic sensor was able to detect objects at a range of 2 cm to 400 cm, thus providing accurate distance information with a slight delay. The ultrasonic sensor was also able to detect nearby objects, thus preventing collision with them. Our system, which is equipped with YOLOv8, is also able to recognize objects in real-time. It is able to recognize common objects such as humans, vehicles, and other obstacles with high precision. This information is provided to the user through our voice

output module. Our voice assistance system makes use of natural language processing and text-to-speech technology to provide accurate and timely information to the user. Our system is also able to provide information regarding the type and distance of the obstacle, thus greatly enhancing the user's awareness. Our proposed system was found to be reliable, safe, and efficient in providing assistance to the visually impaired user. The experiment results showed accurate detection of obstacles and timely voice feedback to the user. Our object recognition part was also found to be efficient in recognizing common objects in real-time. This proves that our proposed system is efficient in providing assistance to visually impaired users by greatly enhancing their awareness.

3.2. Discussion

The study reveals the effectiveness of the Smart Blind Stick, as proposed, as it increases the efficiency of the visually impaired during navigation through the combination of sensor technology and AI-based object detection. The combination of the ultrasonic sensor and the camera module increases the reliability of the system. The ultrasonic sensor provides accurate distance measurement, whereas the camera module detects the type of obstacle present. The combination of these two methods resolves the problem of relying on a single approach. The implementation of the YOLOv8 model provides real-time object detection with satisfactory speed and accuracy, making the system more feasible. However, the system may face difficulties during adverse conditions, such as dim lighting or partially covered objects, which may affect the accuracy of the system. However, the ultrasonic sensor maintains the awareness of obstacles, thereby providing continuous support. The voice assistant plays a vital role in the interaction of the Smart Blind Stick with the user, as it provides meaningful feedback through the implementation of Natural Language Processing and Text-to-Speech, which increases the efficiency of the system. In conclusion, the Smart Blind Stick provides a cost-effective, portable, efficient system, whereas the future of the system may include increasing the accuracy of the system, reducing the dependence on external processors, and including features like GPS.

Conclusion

The proposed Smart Blind Stick, which will be powered by AI technology, can provide a way to improve the mobility of visually impaired individuals. This will be done by utilizing the ultrasonic sensor and camera module together with the object detection technology of YOLOv8. Additionally, the Natural Language Processing and Text to Speech technology will provide clear guidance for the visually impaired. The proposed Smart Blind Stick can be used efficiently, and its response time and accuracy are satisfactory for both indoor and outdoor use. This is due to its portable and cost-effective nature. Therefore, it can be said that the proposed Smart Blind Stick can be used for the independent movement of visually impaired individuals and can help them avoid accidents.

Future Work

Some possible improvements for the proposed system in the future could be:

- Including GPS and other navigation features to provide real-time location and other necessary information for visually impaired users.
- Using more powerful and efficient deep learning techniques to improve object detection and reduce false positives in complex and crowded places.
- Using other sensors like infrared and LiDAR for better detection and handling of different conditions.
- Using edge AI for better real-time performance and reducing dependency on external sources for processing.
- Creating a mobile app for connectivity and other features for users.

The proposed system has great potential as a smart healthcare facility, which could be used as a basis for the development of other AI-based mobility aids for the visually impaired.

Acknowledgements

The authors would like to extend their sincere and heartfelt thanks to everyone who contributed to the successful completion of this project either directly or indirectly. Such continuous support, motivation, and guidance were instrumental in the successful

completion of the project. The authors would also like to extend their sincere thanks to the faculty members of the department for their valuable insights, technical support, and motivation, which were helpful in improving the quality of the work. Such expertise and support were helpful in improving the quality of the work. The authors would also like to extend their thanks to their peers and colleagues for their continuous support and cooperation, which were helpful in the progress of this work.

References

- [1]. Birari, H., Patil, S., & Deshmukh, A. (2023). Smart blind stick using ultrasonic sensors for obstacle detection. *International Journal of Advanced Engineering Research*, 10(2), 115–120.
- [2]. Rajan, P., Kumar, R., & Singh, A. (2023). Assistive navigation system for visually impaired people using sensor technology. *International Journal of Engineering and Technology Research*, 8(4), 220–225.
- [3]. Kumar, S., Sharma, R., & Verma, P. (2024). AI-based object detection system for assistive devices for visually impaired individuals. *Journal of Intelligent Systems and Applications*, 12(1), 45–52.
- [4]. Sharma, R., Gupta, A., & Mehta, D. (2024). Smart navigation aid using computer vision and voice assistance for visually impaired users. *International Journal of Computer Science and Artificial Intelligence*, 9(3), 130–137.
- [5]. Husnussalam, H. (2010). Development of assistive technologies for visually impaired individuals. *Journal of Assistive Technology Research*, 5(1), 21–28.
- [6]. Gupta, S., Patel, M., & Shah, K. (2022). IoT-based smart walking stick for visually impaired people. *International Journal of Internet of Things and Applications*, 7(2), 98–104.
- [7]. Mehta, P., Joshi, A., & Kulkarni, S. (2021). Intelligent obstacle detection system for blind navigation using embedded systems. *International Journal of Embedded Systems and Applications*, 6(3), 56–63.

- [8]. Reddy, P., Suresh, K., & Rao, M. (2024). Deep learning-based object recognition for assistive navigation systems. *IEEE Conference on Emerging Technologies*, 112–118.
- [9]. Zhang, L., Chen, Y., & Wang, H. (2024). Smart navigation system for visually impaired using YOLO and embedded devices. *Sensors*, 24(5), 2102–2115.
- [10]. Kumar, A., & Jain, P. (2024). Embedded AI system for real-time object detection and alert generation. *Journal of Embedded Systems*, 18(1), 25–33.
- [11]. Singh, R., & Verma, N. (2024). IoT and AI-based smart blind stick with voice assistance. *International Journal of Advanced Research in Computer Science*, 15(2), 120–127.
- [12]. Patel, S., & Mehta, D. (2024). Sensor fusion approach for obstacle detection in assistive devices. *IEEE Access*, 12, 45678–45688.
- [13]. Wilson, D., Johnson, E., & Brown, T. (2025). Real-time assistive technology for visually impaired using AI and sensor fusion. *IEEE Transactions on Human-Machine Systems*, 55(1), 45–54.
- [14]. Lee, J., Kim, S., & Park, H. (2025). Multi-sensor fusion approach for smart assistive devices for the blind. *IEEE Internet of Things Journal*, 12(3), 890–899.
- [15]. Chen, Y., Liu, X., & Zhang, Q. (2025). Lightweight deep learning models for edge-based object detection in assistive systems. *IEEE Access*, 13, 10234–10245.