International Research Journal on Advanced Engineering Hub (IRJAEH)
e ISSN: 2584-2137
Vol. 04 Issue: 10 October 2026
Page No: 5968 - 5977
https://irjaeh.com
https://doi.org/10.47392/IRJAEH.2026.0765

AI-Driven Business Process Automation for Scalable Enterprise Operations and Intelligent Decision-Making

Senkamalam Chinnasamy[1]
[1]*BITS, Rajasthan, Pilani*
Email id: *senkamalam.cs@gmail.com*[1]

Abstract
Business process automation is being driven by AI into the realm of adaptable and flexible process orchestration, predictive monitoring, and decision support, moving well beyond the realm of deterministic process execution. Good coordination of high-volume digital work is becoming a critical factor in development success, and this is essential for delivering responsiveness, control and decision quality. The journal literature survey revealed four independent but interrelated research areas: robotic process automation for repetitive process execution, predictive process monitoring for anticipatory process control, artificial intelligence for organizational decision structures, and enterprise capability formation for value realization. Reported benefits include a reduction of manual processing tasks, better process visibility, front-loading the identification of undesirable outcomes and better support for data intensive decisions. Evidence, however, is fragmented in accounting, information systems, process management and management research. There are crucial limitations related to brittle automation, weak generalizability across event logs, limited causal evaluation, model opacity, process drift, and limited attention to human oversight. Execution automation is not enough to be considered a viable option for progress; it's crucial to combine it with process intelligence, governance, and empirically proven decision interventions based on artificial intelligence, rather than use it as a technical layer in isolation.

Keywords: *AI-driven business process automation; enterprise scalability; intelligent decision-making; predictive process monitoring; robotic process automation*

1. Introduction
AI-driven business process automation is at the intersection of robotic process automation, business process management, process mining, machine learning and organizational decision science. There is a new generation of enterprise automation that is using software robots alongside event-log analytics, prediction models, decision rules and human exception handling, rather than just fixed scripts. In the realm of robotic process automation (RPA), factors such as scalability, maintainability, process selection, exception handling, and governance have been identified as key decision-making elements for operational value of robotic process automation [1]. Robotic process automation is also referred to as a relatively lightweight integration method which can automate interactions between different enterprises and their various applications but is sensitive to changes to the user interface and poorly structured variants in processes [2]. So, scalable automation is not merely about adding more bots; it is about having a stable representation of the processes, measurable exception paths, reusable control mechanisms, and information architecture that supports automated and human decisions. The scope of the problem changes due to the decision dimension. Artificial intelligence can now make a case classification, predict future processing states, rank alternatives, and suggest interventions to optimize operational intelligence – moving AI from execution efficiency to operational decision intelligence. Works on Artificial Intelligence (AI) in organizational decisions highlight the ability of algorithmic approaches to handle both size and combinations of information that exceed what managers can readily process in their normal routines but also acknowledge that there are constraints on the transparency, context and accountability of the algorithms used [3]. The benefits of enterprise transformation efforts also point to the fact that the value of a business is not necessarily just in the

International Research Journal on Advanced Engineering Hub (IRJAEH)
e ISSN: 2584-2137
Vol. 04 Issue: 10 October 2026
Page No: 5968 - 5977
https://irjaeh.com
https://doi.org/10.47392/IRJAEH.2026.0765

algorithms themselves, but in their complementary organizational attributes. Operational and performance impacts are higher when technological assets are used in conjunction with process redesign, managerial capability, and suitable organizational arrangements provided by the transformation projects created through AI [4]. Based on these results, AI-based business process automation is an interdisciplinary problem that requires computational performance, integration in information systems, control in the organization, and decision rights in the management. There are three unresolved issues that spur targeted review. First, execution-oriented RPA research is often conducted at the task or workflow level, whereas predictive-process-monitoring research typically analyses process instances and event-log sequences. The first focuses on task effort, standardisation, deployment possibilities and exception handling, while the latter focuses on predictive power, the speed at which the process unfolds in time, the features of the event log, and the discrimination of the model. It is therefore hard to compare the performance directly. Second, the promise of accurate prediction or technically successful execution is considered to be enterprise benefit in automation research, but the value of predicting depends on whether the predictions result in useful enterprise action and the value of automation depends on whether it is robust under varying enterprise process conditions. Third, decision-oriented management research questions unrestricted automation due to high-stakes and ambiguous decisions that may require contextual judgement which is not adequately represented by historical data. The aim of this review is to critically appraise the literature from peer-reviewed sources published since 2015 that links the concepts of AI process execution, predictive monitoring, scalable operations and intelligent decision-making. Special focus is placed on methodological differences, reported operational results, architectural implications and limitations of enterprise-scale deployments. What arises from this is a layered operational capability that sees AI-driven business process automation as a capability that has to be designed alongside automation, prediction, decision authority and governance.

2. Literature Review

The first literature cluster is related to execution automation. Accounting research offers a focused empirical context as financial and audit processes involve multiple rule-based activities that are repeated across the enterprise systems. Kokina and Blanchette [5] outline early digital-labour success in accounting and suggest that RPA is best suited for repetitive tasks that have a consistent set of rules and inputs. The operational shift is not only on substituting labour: automation shifts the professional focus to exceptions, controls and analytics. For auditing, Moffitt, Rozario, and Vasarhelyi [6] arrive at a similar conclusion that software robots can take over from humans for the tasks of data acquisition, reconciliation, and standardized testing, and that execution records generated by the software robots can enhance the traceability of the process. Cooper et al. [7] demonstrate that the implementation of public-accounting takes place in a variety of task categories, but it needs to be standardized, technically maintained and adapted to by the workforce. In these studies, the best evidence is on the matter of whether or not structured work can be automated; evidence on the autonomous handling of ambiguous cases is significantly weaker. This division is further emphasized by the later systematic mapping by Wewerka and Reichert [8] which reveals a spread of RPA research covering implementation, process selection, governance and technical design, albeit with a somewhat inconsistent use of terms and a lack of longitudinal evaluation. A second group focuses on predictive process monitoring, which offers the main link between business-process data and operational decisions using machine learning. Evermann, Rehse and Fettke [9] show that deep neural sequence models can be trained directly from event traces without relying on manually developed process features. As shown in Table 1 Summary of key findings.

Metzger et al. [10] demonstrate by comparative predictive monitoring that various techniques can give complementary information regarding future process states, suggesting a value of method selection or combination over a strict reliance on a single predictor. Teinemaa et al. [11] discuss outcome-oriented predictive monitoring for various encoding

International Research Journal on Advanced Engineering Hub (IRJAEH)
e ISSN: 2584-2137
Vol. 04 Issue: 10 October 2026
Page No: 5968 - 5977
https://irjaeh.com
https://doi.org/10.47392/IRJAEH.2026.0765

and classification approaches and show that the predictive performance is influenced by the properties of the event-log, case-prefix representation, and evaluation methods. A similar trend is observed for remaining time prediction by Verenich et al. [12] when considering the performance of the relative methods used for them. Together, this body of work provides technical feasibility and undermines the notion of universally better models. Prediction accuracy is conditional and intervention is necessary for enterprise value to have a connection with the predicted risk. Table 1 indicates that there is a structural split of the evidence base. The RPA studies mainly focus on whether the standardized tasks can be performed reliably, while the predictive-monitoring studies focus on whether the future process behaviour can be predicted from the event data. Both streams

Table 1 Summary of key findings

Ref	Focus	Key Findings
[5]	RPA in accounting work	Structured, repetitive activities provide the strongest automation fit; professional work shifts toward exception handling and analysis.
[6]	RPA in auditing	Standardized audit procedures can be automated while bot execution records improve traceability and control visibility.
[7]	RPA in public accounting	Multi-process adoption is feasible, but standardization, technical maintenance, governance, and workforce redesign constrain scale.
[8]	Systematic mapping of RPA	Literature is fragmented across implementation, design, governance, and process-selection themes, with limited longitudinal evidence.
[9]	Deep learning for process prediction	Sequence models learn behavioural patterns directly from event traces and support anticipatory process monitoring.
[10]	Comparative predictive monitoring	Predictive techniques exhibit complementary strengths; method combinations can outperform reliance on a single model in some settings.
[11]	Outcome-oriented predictive monitoring	Performance varies materially with encoding, classifier, prefix treatment, and event-log characteristics.
[12]	Remaining-time prediction	No prediction method dominates across all process datasets; data and process structure strongly condition results.

cannot independently address the issue of governance of decision authority. Shrestha, Ben-Menahem, and von Krogh [13] fill that void by providing a framework of organizational decision structures that can be either human delegation or algorithmic delegation or a combination of both, based on decision search space, interpretability and organizational context. Another way to think about human–AI complementarity is from the perspective of Jarrahi [14] who considers it particularly significant when computational pattern recognition needs to be paired with the ability to provide contextual interpretation. Raisch and Krakowski [15] summarize the resulting automation-augmentation paradox as follows: as automation proceeds, there will be new requirements for human judgment, monitoring, and skill development, not fewer. From an enterprise perspective, Enholm et al. [16] conclude that the value of AI in business is technology, organization and environment dependent. The literature thus arrives at a multi-layered understanding of the use of AI for business process automation: In some cases, the automation itself is a prerequisite, in others, the predictive intelligence adds to the business insight provided by the process, and in a third category, the governance determines whether the recommendations to the processes or the automated processes actually create enterprise value at scale.

3. Methodology

A key characteristic of business process automation research using AI is methodological diversity.

International Research Journal on Advanced Engineering Hub (IRJAEH)
e ISSN: 2584-2137
Vol. 04 Issue: 10 October 2026
Page No: 5968 - 5977
https://irjaeh.com
https://doi.org/10.47392/IRJAEH.2026.0765

Because the deployment of the organizations is sensitive to the configuration of the processes and to the conditions of the legacy systems, qualitative case evidence, practitioner interviews, observations in the process, and design-oriented analysis are often used in execution-oriented studies [5]–[8]. These methods reflect issues not identified by laboratory evaluations such as interface instability, ownership ambiguity, exception escalation and control redesign. The limitation is external validity – conclusions drawn from an environment with high levels of structure in accounting and administrative processes do not necessarily hold for high uncertainty, knowledge-intensive workflows. systematic mapping suffers from the problem of being both broad but also relying on variable terminology and reporting in the underlying literature [8].

Table 2 Method comparison

Ref	Method	Strengths	Limitations
[5]	Qualitative field evidence on accounting automation	Captures task redesign, role change, and practical implementation conditions.	Context-specific evidence limits generalization across industries.
[8]	Systematic mapping and classification	Organizes fragmented RPA concepts and identifies recurring research themes.	Dependent on heterogeneous terminology and reporting quality.
[9]	Deep recurrent sequence modelling of event logs	Learns temporal process representations with limited manual feature engineering.	Lower transparency and sensitivity to training-data representativeness.
[10]	Comparative and combined predictive monitoring	Tests complementary predictive techniques under common process settings.	Prediction quality does not establish causal operational benefit.
[11]	Cross-dataset outcome-prediction benchmark	Exposes effects of encoding, classifier selection, and prefix treatment.	Benchmark metrics abstract from intervention costs and organizational constraints.
[12]	Cross-benchmark remaining-time prediction	Reveals dataset-dependent performance and robustness differences.	Historical event logs may not represent future process drift.
[13]	Conceptual decision-structure framework	Links AI properties to delegation and organizational decision rights.	Requires stronger process-level empirical validation.
[16]	Structured AI business-value literature review	Connects technical deployment with organizational value mechanisms.	Broad AI scope provides less detail on individual automation workflows.

Predictive process-monitoring research employs a significantly different methodological approach. Event logs are pre-processed to case prefixes, categorical and numerical features, sequences, or learned representations prior to model learning and the evaluation [9] – [12]. Manual feature engineering is generally less computationally expensive but may have limited ability to represent long-range dependencies, whereas deep sequence learning reduces reliance on manual feature engineering and can capture longer-range temporal dependencies. Benchmarking studies bring methodological discipline to the comparisons of various techniques, across a set of event logs, but the resulting metrics typically are measures of prediction, not measures of the effectiveness of the intervention. If there is no feasible intervention, or intervention costs are greater than expected benefits, a model may be able to

International Research Journal on Advanced Engineering Hub (IRJAEH)
e ISSN: 2584-2137
Vol. 04 Issue: 10 October 2026
Page No: 5968 - 5977
https://irjaeh.com
https://doi.org/10.47392/IRJAEH.2026.0765

accurately identify high-risk cases but be unable to improve the process.



Figure 1 Layered framework for AI-driven business process automation

The framework presented in Figure 1 is supported with the methodological evidence. AI-driven business process automation is considered as closed operational architecture instead of line-by-line replacement process of operations, which leads to a shift in focus toward the optimization of business processes. Process and task data provide inputs to the intelligence layer. This intelligence drives automation or human decision-making; execution outcomes provide new monitoring evidence, while governance constrains the entire process cycle. This is important because enterprise scalability is dependent on the balance between execution, prediction, intervention, and organizational accountability, but not just the pieces of automation. It's a process specific architecture, as shown in figure 1, that connects enterprise event data, process intelligence, automation orchestration, decision authority, and operational outcomes under a cross-cutting governance layer.

4. Discussion

The reported results have shown that scalable enterprise automation is best achieved if the variability of the processes is controlled prior to automation. Many RPA studies have linked the successful adoption of RPA to repetitive transactions, digital inputs, explicit rules, and low diversity of exceptions [5]–[8]. These results question the notion of 'automatic compensation' for poor process design by AI. Through the user interface, software robots also get all the instability of the apps, the data ownership issues, and the undocumented exceptions. Maintenance requirements can then increase, not decrease, as the fragile script is scaled to more business units. It is also found in literature that automation not only does not create standard labour replacement, but it also modifies the nature of work. The evidence collected in accounting and audit shows that data collection, data reconciliation, transfer, and standardized testing all become automated, while design of control, handling exceptions, interpretation of the data, and maintenance of the automation become more significant [5]–[7]. The enterprise implication is that the measure of scalability should not be the number of bots deployed, but rather the end-to-end throughput, exception rate, resilience, control quality and change cost of the enterprise. But prediction-oriented evidence gives a level of anticipatory information that creates a different performance problem. The power of event traces to predict future process behaviour has been shown in deep sequence models [9] and differences in modelling choices have been shown to have significant impact on performance in comparative studies [10]–[12]. There's no consistent practice of ranking deep learning as the best option. It is dependent on the size of the event log, the length of the trace, the distribution of the classes, the choice of the encoding for the features, the regularity of the processes, and the time horizon used for the evaluation. This is important in the operations of the enterprise because the choice of the model should reflect the operational choice being made. Two different error costs are required when a remaining-time estimate is employed for workload balancing versus an outcome-risk classifier to prevent contractual failure. Furthermore, the accuracy of the benchmark can be misleading when good predictions are not made in time to take remedial measures. An intervention-oriented evaluation layer is thus needed for AI-driven automation of business processes which enables linking of prediction timing, actionability, availability of resources, and expected operational

International Research Journal on Advanced Engineering Hub (IRJAEH)
e ISSN: 2584-2137
Vol. 04 Issue: 10 October 2026
Page No: 5968 - 5977
https://irjaeh.com
https://doi.org/10.47392/IRJAEH.2026.0765

impact. It can be seen from Table 3 that the results that are reported are in different analytical layers. Execution studies assess the feasibility of a task and the design of the task's operations; predictive studies assess inferences from event data; and decision-structure research assesses allocation of authority. It would therefore be methodologically unsound to combine all these findings into a single statement of "AI performance". An alternative view is that enterprise advantage is derived from coordination between layers. Predictions give anticipatory information, execution capacity is provided by automation, and safe delegation of actions is determined by governance. This distribution of the evidence base across these predominant research domains is presented in Figure 2. The importance of the imbalance resides in the fact that there is more literature to guide the execution of operations than there is to support the integrated assessment of enterprise-level decision outcomes, and thus little evidence of the entire automation-to-decision chain. Figure 2 Number of journal articles reviewed according to main analytical contribution. Distribution differentiates execution automation, predictive process monitoring, organization decision architecture and enterprise AI value. The challenge is creating an added tension between depth of automation and organizational control with decision intelligence.

Table 3 Results comparison

Ref	System / Context	Metric / Basis of Comparison	Outcome
[5]	Accounting digital labour	Task structure and automation suitability	Repetitive, rule-based activities show strongest fit; specialist effort shifts toward exceptions and analysis.
[6]	Audit process automation	Automatable procedure type and control traceability	Standard procedures can be executed by bots while execution logs strengthen visibility of automated activity.
[7]	Public-accounting RPA	Deployment scope, process suitability, organizational adaptation	Broader deployment is possible, but maintenance, governance, skills, and process standardization become scaling constraints.
[9]	Event-log process prediction	Sequence-model predictive performance	Deep recurrent models capture behavioural dependencies directly from process traces.
[10]	Predictive process monitoring	Comparative and combined predictive techniques	Technique effectiveness varies by predictive task; complementary models can improve robustness.
[11]	Outcome prediction across event logs	Encoding and classifier benchmark	Predictive ranking changes across logs and modelling configurations; no universal configuration dominates.
[12]	Remaining-time prediction	Cross-dataset predictive error comparison	Method performance is process-dependent, exposing limits to universal model selection.
[13]	Organizational AI decisions	Decision search space, interpretability, delegation structure	Appropriate allocation of decision authority varies between algorithmic, human, and hybrid configurations.

International Research Journal on Advanced Engineering Hub (IRJAEH)
e ISSN: 2584-2137
Vol. 04 Issue: 10 October 2026
Page No: 5968 - 5977
https://irjaeh.com
https://doi.org/10.47392/IRJAEH.2026.0765



Figure 2 Distribution of evidence across major AI-driven process-automation domains

Shrestha et al. [13] believe that the feasibility of decision structures will also shift with AI as algorithms could take over parts of the process of information search, evaluation, and decision making, depending on the circumstances. Jarrahi [14] emphasizes complementarity, especially in cases where the information is not precise, interpretations are context-dependent, or conditions are new, making decisions that are only based on computation less reliable. Raisch and Krakowski [15] argue that both of these are possible because automation can free up managerial time and attention for tasks like reconfiguration, ethical decisions, unusual cases, and oversight. The interpretation is supported by enterprise level evidence reviewed by Enholm et al. [16] which suggests that value from AI relies on complementarity of data, managerial, structural and technological capabilities. But this is just a contradiction that is apparent in the world of AI-driven business process automation. The greater the algorithmic capability, the more this part of a process can be automated, and the larger the enterprise, the more governance is needed for changes to the algorithm, data quality, decision rights and exception escalation. This relationship is integrated in figure 3, which maps the principal evidence domains with respect to two analytical dimensions: execution intensity and decision-intelligence intensity. The visualization is not an effect-size meta-analysis but rather reflects the dominant functional emphasis of each literature stream (ordinal positions) and the number of articles assigned to each (bubble size). As illustrated in the map, RPA is oriented towards execution, predictive monitoring towards anticipatory intelligence and decision architecture research towards cognitive delegation. Enterprise AI-value research fits somewhere in the middle as value comes into play when both functions are brought together. The figure is just as important because the upper right quadrant of the analysis is the area of least assessment and high autonomy and high decision intelligence in enterprise scale. Figure 3 shows an evidence map of the positioning of major research areas, based on the relative strength of automation for execution and algorithm-supported decision intelligence. Bubble area denotes the number of articles reviewed that are assigned to each dominant domain. As shown in Table 3 Results comparison.



Figure 3 Relational map of execution automation and decision intelligence

This integrated reading has a number of research limitations. First, external validity is limited. Accounting, auditing, and benchmark event logs are valuable, but relatively well structured settings; evidence from volatile supply networks, multi-party service operations, and rapidly changing customer processes is less developed. Second, there is a concept-drift risk with historical event logs.

International Research Journal on Advanced Engineering Hub (IRJAEH)
e ISSN: 2584-2137
Vol. 04 Issue: 10 October 2026
Page No: 5968 - 5977
https://irjaeh.com
https://doi.org/10.47392/IRJAEH.2026.0765

Predictive relationships can fail when there are policy changes, interface changes, product releases, organizational changes or automation. Third, the impact of AI-based intervention is typically not separable from concurrent process redesign. Improved prediction following deployment does not imply automated action resulted in improved operational outcomes. Fourth, human oversight is often treated as a 'stage' in the escalation process, and not as a capability with constraints on latency, expertise, workload and decision quality. Fifth, enterprise scale adds the correlated failure risk: if a defect occurs in a centralised bot, model or policy, it can spread fast through high-volume processes. These restrictions impact how you perceive "intelligent" automation. The sophistication of the model is not a good indicator of its intelligence. If predictions cannot be acted upon, decision rights are unclear, or automated actions generate costly exceptions, even a technically advanced model may deliver little enterprise value. On the other hand, if one is in a stable, high-frequency process where there are measurable interventions, then relatively simple models can be capable of producing significant operational value. This literature review therefore shows that model complexity is subordinate to process fit. In the case of scalable enterprise operation, an explicit sequence needs to exist between the event capture and the prediction, between the prediction and the intervention, between the intervention and the controlled execution, and between the execution and the monitored output. Decision intelligence is meaningful only when each link in this chain is observable and governable.

5. Future Directions

Research into the use of AI for BPA should shift from technical evaluation to intervention-aware, longitudinal process studies for the future. Decision lead time, feasibility of interventions, expected action cost, realised process impact, and performance degradation under drift should also be reported for predictive monitoring experiments. Controlled comparisons of "prediction only" vs. "prediction plus human involvement" vs. "prediction plus automated involvement" would be helpful to determine the causal contribution of automation. Of particular importance are longitudinal designs because the mode of failure and maintenance costs may change due to changes in the interfaces, policies and models after initial deployment [8], [11], [12]. A second priority is towards high-execution, high-intelligence architectures. Current RPA evidence is more robust for deterministic tasks, and for anticipatory inference, more robust for predictive research. The process mining, machine learning, orchestration engines and exception management for humans should be integrated in a common governance within future systems. The impact of confidence thresholds, abstention mechanisms, fallback policies, and escalation latency on operational resilience should be measured through research. This would implement hybrid decision structures that have been suggested by organizational research [13]–[15] instead of using human participation as an unstated safety measure. The third priority is enterprise scale evaluation. Researchers should look at related automation failures, across-process dependencies, model reuse, control inheritance, and at portfolio-level economics of automation. The accuracy of the process should be correlated with enterprise parameters like throughput stability, exception burden, control failure, service-level attainment, recovery time and marginal maintenance cost. Process-automation research suggests that as technology portfolios expand, the value created by technology is related to complementary governance capabilities [16]. Further insights can be gained from organizational-capability research. Finally, explainability should be considered as a process property and not just an algorithmic property. Explanations should support the concrete operational actions, auditability and allocation of responsibility. Predictive explanations would give a more robust foundation for reliable intelligent decision-making when selecting interventions, the quality of escalation, and post-event review than explanation fidelity alone.

Conclusion

To fully appreciate business process automation powered by AI, consider it as an enterprise-wide capability that unites automated process performance, process intelligence, decision-making rights, and operational governance. The literature indicates that RPA adds significant value to stable, repetitive, rule-based processes, and predictive

International Research Journal on Advanced Engineering Hub (IRJAEH)
e ISSN: 2584-2137
Vol. 04 Issue: 10 October 2026
Page No: 5968 - 5977
https://irjaeh.com
https://doi.org/10.47392/IRJAEH.2026.0765

process monitoring takes automation of these processes further by predicting future conditions and outcomes from event data. Organizational decision research shows that greater algorithmic capability does not lead to less managerial judgment; rather, decision rights should include aspects of ambiguity, interpretability, risk and exception structure. One of the central scholarly implications is that technical performance and enterprise value are not interchangeable. Being able to accurately predict is of little value if there is no feasible intervention and reliable task automation does not build resilience at the enterprise scale. The best operational architecture is one that automates and explicitly monitors, escalates, when necessary, refreshes models and holds people accountable. There are ongoing deficiencies in causal evaluation of automated interventions, process drift, cross-process failure propagation, capacity for human oversight, and longitudinal maintenance economics. For future progress, it is necessary to assess full automation-to-decision loops, instead of individual algorithms, or bots. Research that can connect predictive quality, intervention design and implementation, implementation reliability, governance, and measurable enterprise outcomes can provide a more rigorous basis for scalable intelligent operations.

References

[1]. Syed, R., Suriadi, S., Adams, M., Bandara, W., Leemans, S. J. J., Ouyang, C., ter Hofstede, A. H. M., van de Weerd, I., Wynn, M. T., & Reijers, H. A. (2020). Robotic process automation: Contemporary themes and challenges. *Computers in Industry, 115*, 103162.

[2]. Hofmann, P., Samp, C., & Urbach, N. (2020). Robotic process automation. *Electronic Markets, 30*(1), 99–106.

[3]. Duan, Y., Edwards, J. S., & Dwivedi, Y. K. (2019). Artificial intelligence for decision making in the era of Big Data: Evolution, challenges and research agenda. *International Journal of Information Management, 48*, 63–71.

[4]. Wamba-Taguimdje, S.-L., Fosso Wamba, S., Kala Kamdjoug, J. R., & Tchatchouang Wanko, C. E. (2020). Influence of artificial intelligence on firm performance: The business value of AI-based transformation projects. *Business Process Management Journal, 26*(7), 1893–1924.

[5]. Kokina, J., & Blanchette, S. (2019). Early evidence of digital labour in accounting: Innovation with robotic process automation. *International Journal of Accounting Information Systems, 35*, 100431.

[6]. Moffitt, K. C., Rozario, A. M., & Vasarhelyi, M. A. (2018). Robotic process automation for auditing. *Journal of Emerging Technologies in Accounting, 15*(1), 1–10.

[7]. Cooper, L. A., Holderness, D. K., Sorensen, T. L., & Wood, D. A. (2019). Robotic process automation in public accounting. *Accounting Horizons, 33*(4), 15–35.

[8]. Wewerka, J., & Reichert, M. (2023). Robotic process automation: A systematic mapping study and classification framework. *Enterprise Information Systems, 17*(2), 1986862.

[9]. Evermann, J., Rehse, J.-R., & Fettke, P. (2017). Predicting process behaviour using deep learning. *Decision Support Systems, 100*, 129–140.

[10]. Metzger, A., Leitner, P., Ivanović, D., Schmieders, E., Franklin, R., Carro, M., Dustdar, S., & Pohl, K. (2015). Comparing and combining predictive business process monitoring techniques. *IEEE Transactions on Systems, Man, and Cybernetics: Systems, 45*(2), 276–290.

[11]. Teinemaa, I., Dumas, M., La Rosa, M., & Maggi, F. M. (2019). Outcome-oriented predictive process monitoring: Review and benchmark. *ACM Transactions on Knowledge Discovery from Data, 13*(2), Article 17, 1–57.

[12]. Verenich, I., Dumas, M., La Rosa, M., Maggi, F. M., & Di Francescomarino, C. (2019). Survey and cross-benchmark comparison of remaining time prediction methods in business process monitoring. *ACM Transactions on Intelligent Systems and Technology, 10*(4), Article 34, 1–34.

[13]. Shrestha, Y. R., Ben-Menahem, S. M., & von Krogh, G. (2019). Organizational decision-making structures in the age of artificial

International Research Journal on Advanced Engineering Hub (IRJAEH)
e ISSN: 2584-2137
Vol. 04 Issue: 10 October 2026
Page No: 5968 - 5977
https://irjaeh.com
https://doi.org/10.47392/IRJAEH.2026.0765

intelligence. *California Management Review, 61*(4), 66–83.

[14]. Jarrahi, M. H. (2018). Artificial intelligence and the future of work: Human-AI symbiosis in organizational decision making. *Business Horizons, 61*(4), 577–586.

[15]. Raisch, S., & Krakowski, S. (2021). Artificial intelligence and management: The automation–augmentation paradox. *Academy of Management Review, 46*(1), 192–210.

[16]. Enholm, I. M., Papagiannidis, E., Mikalef, P., & Krogstie, J. (2022). Artificial intelligence and business value: A literature review. *Information Systems Frontiers, 24*(5), 1709–1734.